

```

<JiraJelly xmlns:jira="jelly:com.atlassian.jira.jelly.enterprise.JiraTagLib" xmlns:core="jelly:core">
  <!--core:set var="filter" value="10346" /-->
  <core:set var="filter" value="10360" />

  <core:set var="projectKey" value="OTVUIT" />
  <core:set var="tipusTasca" value="Tasca-OT2008" />
  <core:set var="campServeiRelacinat" value="customfield_10130" />
  <core:set var="campTipusTasca" value="customfield_10132" />
  <core:set var="TT_Consulta" value="Consulta" />
  <core:set var="TT_Incidencia" value="Incidència" />
  <core:set var="TT_PeticionDeCanvi" value="Petició de Canvi" />

  <core:set var="typeConsulta" value="5" />
  <core:set var="typeIncidencia" value="1" />
  <core:set var="typePeticioCanvi" value="2" />

  <core:set var="projectCAN" value="10000" />
  <core:set var="projectSTF" value="10040" />

  <core:set var="user1" value="xpalau" />
  <core:set var="user2" value="ccasals" />
  <core:set var="user3" value="dlopez" />
  <core:set var="user4" value="oloras" />

  <core:set var="fieldIdProcesat" value="10140" />

  <jira:RunSearchRequest filterid="{filter}" var="issues" size-var="issuecount"/>
  <core:forEach var="issue" items="{issues}" indexVar="index">
    <!-- Grab an instance of ComponentManager -->
    <core:invokeStatic className="com.atlassian.jira.ComponentManager" method="getInstance"
var="componentManager"/>

    <!-- Get the IssueManager from ComponentManager -->
    <core:invoke on="{componentManager}" method="getIssueManager" var="issueManager" />

    <!-- Get the MutableIssue from IssueManager -->
    <core:invoke on="{issueManager}" method="getIssueObject" var="issue">
      <core:arg type="java.lang.String" value="{issue.key}" />
    </core:invoke>

    <!-- Get Custom FieldManager from ComponentManager -->
    <core:invoke on="{componentManager}" method="getCustomFieldManager"
var="customFieldManager" />

    <!-- Get Custom FieldObject: customFieldObj -->
    <core:invoke on="{customFieldManager}" method="getCustomFieldObjectByName"
var="customFieldObj">
      <core:arg type="java.lang.String" value="Projecte Afectat"/>
    </core:invoke>

    <!-- Get Custom Field Value: rating -->
    <core:invoke on="{customFieldObj}" method="getValue" var="prAfect">
      <core:arg type="com.atlassian.jira.issue.IssueImpl" value="{issue}" />
    </core:invoke>
  </core:forEach>

```

```
CAMPO 1: ${prAfect}
<core:invoke on="${prAfect}" method="getAllValues" var="prAfect2" />
CAMPO 2: ${prAfect2}
<core:invoke on="${prAfect2}" method="get" var="dept" >
  <core:arg type="java.lang.Integer" value="0"/>
</core:invoke>
<core:invoke on="${prAfect2}" method="size" var="fieldSize" />
<core:if test="${fieldSize>1}">
  <core:invoke on="${prAfect2}" method="get" var="prjt" >
    <core:arg type="java.lang.Integer" value="1"/>
  </core:invoke>
</core:if>
DEPARTAMENT: ${dept}
PROYECTO: ${prjt}
INICIO INFORMACION ISSUE
${issue}
FIN INFORMACION ISSUE
```

```
</core:forEach>
```

```
</JiraJelly>
```